



DUCT CLEANING MACHINES





FEATURES

Powerful two stage vacuum with rotary duct cleaner

Modular design, use with or without carrier

Independtly controled twin vacuum motors

Large diameter rear wheels and locable caster with detachable trolley

Remote controlled with HEPA filter

Two directional rotating brush **SPECIFICATION**

Motor Power: .25 HP Air Displacement: 201 CFM

Brush Speed: 450 RPM Input Power: 9.5 Amps, 115V 50/60 Hz

APPLICATION

Designed for cleaning the air conditioning and general ducts installed in industries, hospital, hotels, air ports, malls, big IT building, luxury cruse & ships.

A unique combination of rotary and vacuum technology for cleaning air vent ducts

AQ-RV 450

FEATURES

Stainless steel construction

Speed control to set shaft rotation to optimum speed for speed for each application

Interchangeable cleaning tools

Inbuilt wheels for easy movement

Reversible shaft rotation

SPECIFICATION

Motor Power: 1 HP Shaft Speed: reversible, up to 1,500 rpm

Weight: 49 lbs (22 kg) Input Power: 3 amps, 230 V, 60 Hz AC

APPLICATION

Designed for cleaning the air conditioning and general ducts installed in industries, hospital, hotels, air ports, malls and big IT building



AQR-1500



RAM-4-60-R_U4



FAN BRUSH



HOSE



GTC-704-C



HEPA FILTER



GTC-704G-C



DUCT BRUSH



GTC-721-C







JK Engineering & Technology

Registered office

JK Engineering & Technology 85, 2nd Floor, Rajakilpakkam,East Tambaram, Chennai-600073 **Phone:** 044-22272437 | Mob: 91-8754448074 **E-mail**: sales@jket.in | **Website**: www.jket.in

Head office

1068, Munusamy Salai, West KK Nagar, Chennai-600078 Phone : 044-23664761/62 | Fax : 044-23664764

Branch office

Delhi, Chandigarh, Dehradun, Ghaziabad, Aurangabad, Pune, Mumbai, Nagpur, Surat, Indore, Raipur, Jameshedpur, Kolkata, Visakhapatnam, Hyderabad, Coimbatore, Bangalore

Authorized distribution