



STEAM CLEANERS





FEATURES

The JUPITER PLUS is build for continuous use with or without detergent or chemical additive being injected into the steam at a low dosage volume for effective cleaning

Compact yet Powerfull machine.

Produces dry saturated steam.

SPECIFICATION

Maxi Pressure: 8BAR Max Temperature: 170°C

Power: 2600 WATT Voltage: 230V~ 50/60 Hz

APPLICATION

Hotels, Hospitals, Restaurants, Car wash, Industries,

JUPITER / JUPITER FULL

FEATURES

The DEDALO is a steam generator designed for cleaning with steam with the addition of hot water or the injection of detergent. It is also a dust/ liquid vacuum cleaner.

SPECIFICATION

Max Pressure: 9 BAR Max Temperature: 175° C

Steam output: 4.8lt./hr Power: 3300 Watt

APPLICATION

Industry, hotels, hospitals, restaurants, car wash, industries kitchen



DEDALO



FEATURES

The SUPERNOVA is a steam generator designed for cleaning with steam with the addition of hot water or the injection of detergent.

SPECIFICATION

Max Pressure:: 9BAR / 130.5PSI Max Temperature: 175°C

Steam output: 100gr./min Power: 4500 Watt

APPLICATION

Industry, hotels, hospitals, restaurants, car wash, Kitchens

SUPERNOVA

STEAM CLEANERS





FEATURES

The SUPERVAP 9 KW is a heavy duty industrial 3-phase machine with a 4.5 ltr boiler generating sufficient vapour steam for most industrial cleaning and santizing application.

SPECIFICATION

Maxi Pressure: 10BAR Max Temperature: 170°C

Power: 9000 WATT Voltage: 230V~ 50/60 Hz

APPLICATION

Food & Beverage industries, Pharma, Conveyor belt cleaning

OPTIONS

Vacuum facility optional

SUPERVAP

FEATURES

Heavy Duty, 18 KW steam generator. High steam flow 4 level electronic regulator for steam flow Designed for high level of cleaning & sanitization.

SPECIFICATION

Max Pressure 9BAR / 130.5PSI Max Temperature: 175°C

Steam output 26.4 lt/hr Power: 18000 Watt

APPLICATION

Food & Beverage industries, Pharma, Conveyor belt cleaning, meat, poultry & fish processing unit.



GALAXY



FEATURES

COSMOS is made to take on virtually any task requiring a mobile unit with the ability to deliver the steam you would expect from a stationary setup.

4 level electronic regulator for steam flow control & detergent.

SPECIFICATION

Max Pressure: 9 BAR Max Temperature: 175° C

Steam output: 66 lt./hr Power: 36000 Watt

APPLICATION

Food & Beverage industries, Pharma, Conveyor belt cleaning, meat, poultry & fish processing unit.

COSMOS





JK Engineering & Technology

Registered office

JK Engineering & Technology 85, 2nd Floor, Rajakilpakkam,East Tambaram, Chennai-600073 **Phone:** 044-42121004 | Mob: 91-8754448074 **E-mail**: sales@jket.in | **Website**: www.jket.in

Head office

1068, Munusamy Salai, West KK Nagar, Chennai-600078 Phone : 044-23664761/62 | Fax : 044-23664764

Branch office

Delhi, Chandigarh, Dehradun, Ghaziabad, Aurangabad, Pune, Mumbai, Nagpur, Surat, Indore, Raipur, Jameshedpur, Kolkata, Visakhapatnam, Hyderabad, Coimbatore, Bangalore

Authorized distribution