

FINS AND COIL CLEANING



2021

www.jket.in

COIL & FINS CLEANING



FEATURES

A robust and technologically advanced fins cleaning machine Penetrate and flush out the debris, dust and deposits Extension wand can reach to inaccessible corners & area Special nozzle can clean from back side of the coils Inject chemical at 1:10 ratio with water

SPECIFICATION

Motor Power: 1 HP	Input Water Pressure: Min at 3 GPM 20 PSI
Weight: 45 lbs net dry	Output Water Pressure: 400 PSI at 3.0 GPM

APPLICATION

Specially designed for cleaning fins and coil of evaporators, condensers, Air handling units (AHU), DG radiator fins, tourbo charger coolers, air conditionn fins & preliminary filters.

COIL PRO CC 400HF

FEATURES

Both electric and battery opreated

Suitable for flame proof area such as refinery, petrochemicals, Pharam chemical industries.

Inject chemical at 1:6 ratio with water.

Trolley mounted & inbuilt for water & chemicals.

SPECIFICATION

Motor Power: 0.2 HP Input Water Pressure: Max 120 PSI

Weight: 75 lbs net dry

Output Water Pressure: Variable 40-140 PSI

APPLICATION

Designed for cleaning fins and coil of evaporator, Air Handling Unit(AHU), DG Radiator fins, Tourbo Charger coolers, air condition fins & Preliminary filters



COIL PRO CC140



FEATURES

Easily portable to any inaccessible area Inject chemical at 1:6 ratio with water Battery operated Suitable for flame proof area Back pack machine

SPECIFICATION

Motor Power: 0.1 HP

Input Power: 4 amps, 12 V, DC

Output Water Pressure: Variable, 40-100 PSI

Weight: 25 lbs

APPLICATION

Designed for cleaning fins and coil of evaporator, Air Handling Unit(AHU), DG Radiator fins, Tourbo Charger coolers, air condition fins & Preliminary filters

COILPRO CC100

SPEEDCLEAN



CJ-200E / CJ-125

FEATURES

Coiljet CJ-200E offers more pressure, continous water supply 2 satandard spray nozzles, spray gun with quick connect, 15' power cord, and shoulder strap.

On-board gun and cord stroge Convenient strap for easy transport

SPECIFICATION

OUTPUT PRESSURE: 220 PSI

CAPACITY(WATER): 3.375gl

WEIGHT: 20lbs

CAPACITY(CHEMICAL): 1.75gl

APPLICATION

Coiljet CJ-125 provide battery support and Coiljet CJ-200E is electric powered. It's perfect for rooftop units, evaporators, condenser coil, and refrigeration coils & fins cleaning

FEATURES

Optional 90° spray nozzle forces dirt and debris back in the directional it entered 12' hose with additional lengths available

Powerful 400 PSI at 2.5 gpm washes even the dirtiest coils with a continous spray of water and cleaning chemical without damaging sensitive fins.

SPECIFICATION

OUTPUT PRESSURE: 400PSI

MOTOR POWER: 3/4 HP

OUTPUT WATER FLOW: 2.2 GPM

WEIGHT: 35lbs

APPLICATION

Specially designed for cheaning fins and coil of evaporator, condensers, Air Handling Units(AHU), DG radiator fins, Tourbo charger cooler, air condition fins & preliminary filters



power/ Flush

FLOWJET-60



FEATURES

Attaches to standard garden hose Uses pre-measured, CoilShot tablets Switches from foaming cleaner to water with easy mixing valve Quickly connect attachments

SPECIFICATION

OUTPUT PRESSURE: max 70 PSI at 3 GPM

WEIGHT: 1lb

APPLICATION

Blast dirt and debris from condenser coils, without damaging delicate fins, using condenser needle. Designed for domestic & Institutionsa coils & fins cleaning.

18





JK Engineering & Technology

Registered office

JK Engineering & Technology 85, 2nd Floor, Rajakilpakkam,East Tambaram, Chennai-600073 **Phone :** 044-22272437 | Mob: 91-8754448074 **E-mail** : sales@jket.in | **Website** : www.jket.in

Head office

1068, Munusamy Salai, West KK Nagar, Chennai-600078 Phone : 044-23664761/62 | Fax : 044-23664764

Branch office

Delhi, Chandigarh, Dehradun, Ghaziabad, Aurangabad, Pune, Mumbai, Nagpur, Surat, Indore, Raipur, Jameshedpur, Kolkata, Visakhapatnam, Hyderabad, Coimbatore, Bangalore

Authorized distribution

