

FOAM CLEANER



JK Engineering & Technology



FEATURES

The chemical flow is regulated by the foamer body to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at maximum capacity
Chemical resistant wetted components ensure durability and years of reliable service
Draws pre-diluted chemical from a static tank

SPECIFICATION


Covers up to 500 sq ft (46.5 sq m) in 2.5 minutes

Fan pattern nozzle with 10' foam throw

Rugged 1/2" AODD pump with Santoprene diaphragms

APPLICATION

Food & Beverage industries, Vehicle cleaning, Railway coach cleaning, Dairy, Meat, Poultry & Fish Processing industries, Coal, Metal, Saw dust cleaning, Wall and Tank cleaning



Liberty Foamer

FEATURES

Projects an medium-high volume of rich, clinging foam which increases chemical contact time and effectiveness
Heavy Duty pump, draws ready to use chemical.

SPECIFICATION

Covers up to 500 sq ft (46.5 sq m) in 1 minute

Fan nozzle for up to 15' foam throw

APPLICATION

Food & Beverage industries, Vehicle cleaning, Railway coach cleaning, Dairy, Meat, Poultry & Fish Processing industries, Coal, Metal, Saw dust cleaning, Wall and Tank cleaning



Freedom 2.5 Foamer



FEATURES

Draws pre-diluted chemical from the 20 gallon tank

The chemical flow rate is regulated by the foamer body to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at maximum capacity

Projects a medium-high volume of rich, clinging foam which increases chemical contact time and effectiveness

SPECIFICATION

Capacity: 20 gallon

Covers up to 500 sq ft (46.5 sq m) in 1 minute

Rugged 1/2" AODD pump with Santoprene diaphragms

APPLICATION

Food & Beverage industries, Vehicle cleaning, Railway coach cleaning, Dairy, Meat, Poultry & Fish processing industries, Coal, Metal, Saw dust cleaning, Wall and Tank cleaning

20 Gallon Freedom 2.5 Foamer

FEATURES

Draws pre-diluted chemical from the 60 gallon tank

Foaming expands the chemical and reduces over-application by providing visual assurance of coverage

Chemical resistant wetted components ensure durability and years of reliable service

SPECIFICATION

Covers up to 500 sq ft (46.5 sq m) in 30 seconds when using both hoses

Fan pattern nozzle with 15' foam throw

Rugged 1/2" AODD pump with Santoprene diaphragms

APPLICATION

Food & Beverage industries, Vehicle cleaning, Railway coach cleaning, Dairy, Meat, Poultry & Fish processing industries, Coal, Metal, Saw dust cleaning, Wall and Tank cleaning



60 Gallon Freedom 2.5 / 2.5 Foamer

FEATURES

Projects an extra-high volume of rich, clinging foam which increases chemical contact time and effectiveness

Heavy Duty foamer with adjustable foam consiting

Chemical resistant wetted components ensure durability and years of reliable service

SPECIFICATION

Covers up to 500 sq ft (46.5 sq m) in 1 minute

Zero degree nozzle for up to 25' foam throw

Rugged 1/2" AODD pump with Santoprene diaphragms

APPLICATION

Food & Beverage industries, Vehicle cleaning, Railway coach cleaning, Dairy, Meat, Poultry & Fish processing industries, Coal, Metal, Saw dust cleaning, Wall and Tank cleaning



Freedom XV Foamer



Specialty Lubricant



Cleaning Equipment
& Accessories



Bio Degradable
Cleaners



Insulation Tapes



Maintenance
Aerosols

JK Engineering & Technology

Registered office

JK Engineering & Technology 85, 2nd Floor,
Rajakilpakkam, East Tambaram, Chennai-600073
Phone : 044-22272437 | **Mob**: 91-8754448074
E-mail : sales@jket.in | **Website** : www.jket.in

Head office

1068, Munusamy Salai, West KK Nagar, Chennai-600078
Phone : 044-23664761/62 | **Fax** : 044-23664764

Branch office

Delhi, Chandigarh, Dehradun, Ghaziabad, Aurangabad, Pune, Mumbai, Nagpur, Surat, Indore, Raipur, Jameshedpur, Kolkata, Visakhapatnam, Hyderabad, Coimbatore, Bangalore

Authorized distribution

